## **CLAIM AMENDMENTS**

This listing of claims will replace all prior versions and listings of claims in the application.

1	1. (Currently Amended) A method of generating successive round keys of an
2	expanded key from an initial cryptographic key for use in an encryption and/or
3	decryption engine, comprising the steps of:
4	storing the $N_k$ words of the initial key in $N_k$ locations of a memory;
5	providing the initial key to a cryptographic engine for performing a first
6	cryptographic round;
7	repeatedly retrieving a selected first word and a selected second word of the
8	expanded key, at least one of which is retrieved from the memory, and;
9	generating from the selected first and second words a-successive subsequent
10	word words of the expanded key;
11	providing the generated words of the expanded key to the cryptographic
12	engine as round keys for performing subsequent cryptographic rounds; and
13	storing successive ones of the generated subsequent words in the memory by
14	cyclically overwriting previously generated words of the expanded key: and
15	maintaining four successive words from the generated words in the memory
16	as long as they are required for use in the generation of subsequent words and for

use in a parallel operation of a cryptographic process, wherein the four successive
 words comprise a new round key.

2. (Currently Amended) The method of claim 1,

1

2

3

4

5

2

1

- in which the step of overwriting said previously generated words only occurs after those said previously generated words have been used as said first and/or said second selected words in the step of while generating a respective said subsequent word words.
- 1 3. (Currently Amended) The method of claim 1,
- in which the <u>a</u> number of memory locations used is less than the <u>a</u> number of words in the expanded key.
  - 4. (Currently Amended) The method of claim 1,
    in which the a number of memory locations used is equal to N<sub>k</sub>.
  - 5. (Currently Amended) The method of claim 4,
- in which the words of the initial key are also overwritten by words of the expanded key during the overwriting-step.
  - 6. (Currently Amended) The method of claim 1,

2 in which the  $\underline{a}$  number of memory locations used is equal to  $2N_k$ .

- 1 7. (Currently Amended) The method of claim 1,
- 2 in which the memory is divided into two parts, a first part storing the initial
- 3 key and the a second part receiving the successive successively generated words of
- 4 the expanded key.
- 1 8. (Currently Amended) The method of claim 7, further including the step of:
- 2 completing generation of the expanded key such that the a final round key is
- 3 stored in the second part of the memory and the initial key is still stored in the first
- 4 part of the memory.
- 9. (Currently Amended) The method of claim 8, further including the step of:
- 2 performing a repeat key expansion starting with the initial key stored in the
- 3 first part of the memory.
- 1 | 10. (Currently Amended) The method of claim 8, further including the step of:
- 2 performing an inverse key expansion starting with the final round key stored
- 3 in the second part of the memory.

1	11. (Currently Amended) The method of any one of claims 1 claim 1, further
2	including the step of:
3	completing generation of the expanded key such that the a final round key is
4	stored in the memory and the initial key has been overwritten.
1	12. (Currently Amended) The method of claim 11, further including the step of:
2	performing an inverse key expansion starting with the final round key stored
3	in the memory in order to regenerate the initial key for a subsequent cryptographic
4	operation.
5	
1	13. (Currently Amended) The method of claim 7,
2	in which the <u>a</u> number of memory locations used is equal to $2N_k$ , the first and
3	the second parts having $N_k$ locations each.
1	14. (Currently Amended) The method of any preceding claim 1, further
2	comprising:
3	in which the step of generating successive subsequent words of the expanded key
4	comprises:
5	generating successive words of the AES Rijndael block cipher round keys
6	according to the an AES key expansion function.

1	19.	(Currently Amended) The method of claim 14,
2		in which $N_k=8$ .
1	16.	(Currently Amended) The method of claim 1,
2		in which the successive subsequent words of the expanded key comprise
3	words	of encryption round keys.
1	17.	(Currently Amended) The method of claim 1,
2		in which the successive subsequent words of the expanded key comprise
3	words	of decryption round keys.
1	18.	(Currently Amended) The method of claim 1, further comprising:
2		in which the step of providing the generated words of the expanded key to the
3	erypte	graphic engine comprises
4		providing the generated words on a word-by-word basis as the cryptographic
5	engin	e consumes the generated words as round keys.
I		
1	19.	(Currently Amended) The method of claim 1,
2		in which, in the retrieving step, both the selected first word and the selected
3	second	d word are retrieved from the memory.

1	20.	(Currently Amended) The method of claim 1,
2		in which, in the retrieving step, the selected first word is retrieved from
3	mem	ory and the selected second word is retrieved from a register used in a previous
4	itera	tion.
1	21.	(Currently Amended) The method of claim 1,
2		in which the step of providing the generated words of the expanded key to the
3	crypt	ographic engine comprises:
4		providing said generated words from the memory.
1	22.	(Currently Amended) The method of claim 1.
2		in which the step of generating includes, in at least some cycles of round key
3	word	generation, the step of performing an S-box transform using an S-box shared
4	with	the cryptographic engine.
1	23.	(Currently Amended) The method of claim 22, further comprising
2		includingthe step of:
3		maintaining synchronism of the generation of successive round key words
4	with	consumption of the round key words by the cryptographic engine.

1 24. (Currently Amended) A round key generator for generating successive round 2 keys of an expanded key from an initial cryptographic key for use in an encryption 3 and/or decryption engine, comprising: 4 a memory for storing the  $N_k$  words of the initial key; 5 an expansion processor for 6 repeatedly retrieving a selected first word and a selected second word 7 of the expanded key, at least one of which is retrieved from the memory, and 8 generating from the selected first and second words a successive 9 subsequent word words of the expanded key; means for providing the generated words of the expanded key to the 10 11 eryptographic encryption and decryption engine as round keys for performing 12 subsequent cryptographic rounds; 13 means for storing the successive ones of the generated subsequent words in 14 the memory by cyclically overwriting previously generated words of the expanded 15 key; and means for maintaining four successive words from the generated words in 16 memory as long as they are required for use in the generation of subsequent words 17 and for use in a parallel operation of a cryptographic process, wherein the four 18 19 successive words comprise a new round key.

25. (Currently Amended) The apparatus of claim 24, further including:

2 control means for ensuring said previously generated words are overwritten only after those-said previously generated words have been used as said first and/or 3 4 said second selected words by the expansion processor. 26. (Currently Amended) The apparatus of claim 24, 1 in which the a number of word locations in memory is less than the a number 2 3 of words in the expanded key. 27. (Currently Amended) The apparatus of claim 24, 2 in which the <u>a</u> number of word locations in the memory is equal to  $N_k$ . 1 28. (Currently Amended) The apparatus of claim 27, in which the words of the initial key are also overwritten by words of the 2 3 expanded key during the overwriting. 29. (Currently Amended) The apparatus of claim 24, 2 in which the a number of word locations in the memory is equal to  $2N_k$ . 1 30. (Currently Amended) The apparatus of claim 24, 2 in which the memory is divided into two parts; 3 a first part storing the initial key, and

4 the a second part receiving the successively generated words of the expanded key.

- 1 31. (Currently Amended) The apparatus of claim 30,
- in which the means for storing stores the <u>a</u> final round key in the second part
- 3 of the memory and retains the initial key in the first part of the memory after
- 4 completion of generation of the expanded key.
- 1 | 32. (Currently Amended) The apparatus of claim 31, further including:
- 2 means for performing a repeat key expansion starting with the initial key
- 3 stored in the first part of the memory.
- 1 | 33. (Currently Amended) The apparatus of claim 31, further including:
- 2 means for performing an inverse key expansion starting with the final round
- 3 key stored in the second part of the memory.
- 1 | 34. (Currently Amended) The apparatus of any one of claim 24, further including:
- 2 means for completing generation of the expanded key such that the a final
- 3 round key is stored in the memory and the initial key has been overwritten.
  - 35. (Currently Amended) The apparatus of claim 34, further including:

2 means for performing an inverse key expansion starting with the final round

3 key stored in the memory in order to regenerate the initial key for a subsequent

- 4 cryptographic operation.
- 1 | 36. (Currently Amended) The apparatus of claim 30,
- in which the a number of word locations in the memory is equal to  $2N_k$ , the
- 3 first and the second parts having  $N_k$  locations each.
- 1 37. (Currently Amended) The apparatus of any preceding claim 24,
- 2 in which the expansion processor includes means for generating successive
- 3 words of the AES Rijndael block cipher round keys according to the an AES key
- 4 expansion function.
- 1 | 38. (Currently Amended) The apparatus of claim 37,
- 2 in which  $N_k=8$ .
  - 39. (Currently Amended) The apparatus of claim 24,
- 2 in which the expansion processor generates words of encryption round keys.
  - 40. (Currently Amended) The apparatus of claim 24.

2 in which the an expansion key processor generates words of decryption round 3 keys. (Currently Amended) The apparatus of claim 24, further including: 1 41. 2 a cryptographic engine, and means for providing the generated words of the expanded key to the 3 cryptographic engine on a word-by-word basis as the cryptographic engine 4 5 consumes the words as round keys. 42. (Currently Amended) The apparatus of claim 24, further including: 1 means for retrieving both the selected first word and the selected second 2 3 word from the memory. 43. (Currently Amended) The apparatus of claim 24, further including: 2 means for retrieving the selected first word from the memory and the selected 3 second word from a register in the expansion processor. 1 44. (Currently Amended) The apparatus of claim-1\_24, further including: a cryptographic engine, in which the expansion processor and the 2 3 cryptographic engine share an S-box.

1	45.	(Currently Amended) The apparatus of claim 44, further including:
2		the-means for maintaining synchronism of the expansion processor and the
3	crypt	ographic engine.
1	46.	(Currently Amended) A smart card incorporating the The round key
2	gene	rator according to of claim 24, further comprising:
3		a smart card.
İ		
1	47.	(Canceled).
2		
1	48	(Currently Amended) The method of claim-47_1,
2		in which the initial key words are also is maintained in the memory during
3	the e	ntire process of while generating successive subsequent words of the expanded
4	key.	
1	49-54	4. (Canceled).